
- While applying the lotion, carefully looking into a mirror and try not to touch on other parts of the eyes. Eyes should look upward while cleaning the lower eyelids and look downward while cleaning the upper eyelids. Apply the lotion from the nasal side first and then to the lateral side of the eyes
- Use a fresh cotton bud each time and discard it after use
- Repeat the method three to four times daily
- Discard the remaining lotion after use
- After lid hygiene is completed, eye drop or ointment may be applied to the lid margin as prescribed by the doctor

Should you have any queries, please consult your doctor during follow-up





眼球縱切面圖

醫管局 (港島區) 聯網眼科服務簡介

進入廿一世紀,整個港島區的眼科服務進行了整 提升眼科臨床醫護的水平及效率,為港島市民提 供優質現代化眼科醫療服務

科醫護專職人員,提升市民的健康質素。

東區尤德夫人那打素醫院 Eastern Hospital Tel: 2595 6111

東華東院 Tung Wah Eastern Hospital Tel: 2162 6888

Queen Mary Hospital Tel: 2855 3111

眼瞼的清潔 **EYELIDS HYGIENE**



Eastern Hospital







QMH/EYE-3 05/2004

眼瞼的清潔

簡介

以下清潔眼瞼的方法有助減低眼瞼發 炎的機會。眼瞼炎是由於眼瞼邊緣所 排出的油脂分泌積聚在眼瞼表面及睫 毛上,繼而刺激眼睛,引起眼紅及異 物感

準備清潔液

用一至二滴嬰兒洗頭水注入五十毫升 的沸水稀釋,後用有蓋的容器盛載備 用。

方法

- 先清潔雙手
- 面對鏡子,拉低下眼瞼,眼睛向上

望,然後用化粧棉塊或棉花棒沾少 許清潔液,輕輕由鼻側向耳側抹眼 邊緣(即眼睫毛長出的地方)。儘量 不要觸及眼部其他組織

- 拉高上眼瞼,眼睛向下望,以同樣 方法清潔。每塊化粧棉塊或棉花棒 只可抹一下
- ●重覆以上步驟
- 丢棄剩餘的清潔液,每一次須重新 調配
- 每日清潔三至四次,以減低發炎機會
- ◎清潔後可按醫生處方使用眼藥

如有其他疑問,可於覆診時向醫 生查詢

EYELIDS HYGIENE

Introduction

This treatment will help to reduce the inflammation of the eyelids. It is due to the accumulation of oily secretion over the margin of the eyelids and the eye. Subsequently it induces red eye and foreign body sensation.

Preparation for the Lotion

Mix one or two drops of Baby Shampoo into 50c.c. cooled-down boiled water, and use it to clean the margins of the eyelid.

Please keep the lotion in a clean container with a lid on.

Method

- Clean the hands first
- Dip cotton bud into the lotion and clean the upper and lower eyelid margins of both eyes by pulling the upper eyelids and retracting the lower eyelids respectively